

Crimp specification				
Type Document	A1			
Date Issued:	2021/11/09 Data Revised:		2023/09/08	
Subject: 2022T-HY2B-A	Issued By:			
2.00mm Pitch Terminal crimp specification			Engineering Dept.	

Description:


Height and width of conductor crimp core should be set as required.


(conductor crimp height and width of conductor barrel)

According to the external diameter and the type of electric wire, the width of crimped sheath shall be adjusted, wire won't be easily taken off from contact nor too much crimped.

(Crimped width of insulation barrel)

Position Graph:





Note:

- 1. Conductor crimp width. W1
- $2.\ Conductor\ crimp\ height.\ H1$
- 3. Insulator crimp width. W2
- 4. Insulator crimp height. H2
- 5. Conductor wire shall be dimension long (mm) out A.
- 6. Naked part of sheathed wire must be located in the vicinity of center B.
- 7. The Crimp mouth must be equipped like bell.



Crimp specification				
Type Document	A1			
Date Issued:	2021/11/09 Data Revised:		2023/09/08	
Subject: 2022T-HY2B-A	Issued By:			
2.00mm Pitch Terminal crimp specification			Engineering Dept.	

Requirement:

Subject:FLRYW-A or equivalent type electric wire					
AWG#	Conductor (mm²)	Insulation Diameter	Insulator skins length (Dim .B) mm	Copper wire leakage size(Dim .A) mm	Dim. L1 (mm) out
#22	0.35mm²	1.40mm(max)	0.40mm~0.60mm	0.5mm(max)	1.60~1.80mm
Wire Gauge (AWG#)	Conductor Crimp Area		Insulator Crimp Area		Terminal Tensile
	Width (W1)	Height(H1)	Width (W2)	Height(H2)	Strength
0.35mm ²	1.25±0.03mm	0.85±0.03mm	1.50±0.05mm	1.45±0.05mm	50N

Remarks

Unalike equipment and crimp reel molds skill facility or not shall be difference to result in dissimilar.

Signature: <u>JACK</u> ENG SWB CONNECTOR CO.,LTD.



Crimp specification				
Type Document	A1			
Date Issued:	2021/11/09	Data Revised:	2023/09/08	
Subject: 2022T-HY2B-A	Issued By:			
2.00mm Pitch Terminal crimp specification			Engineering Dept.	

Date	REV	DESCRIPTION	MODIFY	APPROVAL
2021/11/09	А	Initial Issued	/	Kim Huang
2023/09/08	A1	Add A-size data	fx	Jack Zhang