





RoHS

本产品符合我司QA-3-04-005
环境管理物质标准规范

包装图



胶带ADHESIVE TAPE



标签LABEL

Note注解:

1. Put Housing and 1 bags desiccant into PE bag that is without any holes and seal PE bag.

Adhere a label on PE bag.

将 Housing和1包干燥剂放入PE袋内,PE袋不能有任何透气孔, 并将PE袋封口密封好.贴上标签.

2. Put PE bag packed products in cartons, Packing detail see the table below

将装好产品的PE袋放入纸箱内, 详细包装见下表

3. Label depends on customer request, carton opening joint with transparent tape

标签依客户要求而定, 纸箱开口处用透明胶带贴合.

4. There shall be no dirt such as deformation phenomenon,

Mantissa box fillers must be used

每箱不可有脏污, 变形现象, 尾数箱必须用填充物

5. Carton material: K=K, Carton thickness: 6±1mm

纸箱材质:K=K, 纸箱厚度:6~7mm


Poles PIN位	Bag/PCS 包/PCS	CARTON/Bag 箱/包	CARTON/PCS 箱/PCS
02	1000	100	100K
03	1000	90	90K
04	1000	80	80K
05	1000	70	70K
06	1000	60	60K
07	1000	50	50K
08	1000	40	40K
09	1000	35	35K
10	1000	35	35K
11	1000	30	30K
12	1000	26	26K
13	1000	26	26K
14	1000	15	15K
15	1000	10	10K

						料 号: 2022H-XXA-PTNC			
						名 称: 2.00 WTB CONN. Housing			
20230828	X1	/	Update Drawing Frame	Zhou Jiasheng	Larry Yang	核 准	审 查	制 作	日 期
日期	版次	变更编号	变更内容说明	变更人	核 准	Larry Zhang	Larry Yang	Zhou Jiasheng	2021/10/28
						单 位	比 例	页 次	版 本
						mm	1:1	1/1	X1
						编 号: A-000			

RoHS




本产品符合我司QA-3-04-005
环境管理物质标准规范

包装图



Note注解:

- 1.Quantity数量:
8K PCS/REEL 一卷8K/PCS (48的纸盘)
10 REEL/BOX 一箱10卷
100K PCS/BOX 一箱80K/PCS
- 2.Each reel and outer box must be labeled and Eco-Label Respectively labeled
每盘和外箱都必须有标签及环保标签分别标示
- 3.Terminal winding direction as shown
端子缠绕方向如左图所示
- 4.There shall be no dirt such as deformation phenomenon, Mantissa box fillers must be used
每箱不可有脏污, 变形现象, 尾数箱必须用填充物
- 5.Carton material: K=K, Carton thickness: 6±1mm
纸箱材质:K=K, 纸箱厚度:6~7mm






						料 号: 2022T-HY2B-A			
						名 称: 2.00 WTB crimp terminal			
						单位	比例	页次	版本
						mm	1:1	1/1	X1
						编号	A-000		
20230828	X1	/	Update Drawing Frame	Zhou Jiasheng	Larry Yang	核 准	审 查	制 作	日 期
日期	版次	变更编号	变更内容说明	变更人	核 准	Larry Zhang	Larry Yang	Zhou Jiasheng	2021/10/28


RoHS

本产品符合我司QA-3-04-005
环境管理物质标准规范

包装图



胶带ADHESIVE TAPE



Note注解:

1. Place Housing into PE bag and seal PE bag. Label.
将 Housing放入PE袋内, 并将PE袋封好.贴上标签.
2. Put PE bag packed products in cartons, Packing detail see the table below
将装好产品的PE袋放入纸箱内, 详细包装见下表
3. Label depends on customer request, carton opening joint with transparent tape
标签依客户要求而定, 纸箱开口处用透明胶带贴合.
4. There shall be no dirt such as deformation phenomenon,
Mantissa box fillers must be used
每箱不可有脏污, 变形现象, 尾数箱必须用填充物
5. Carton material: K=K, Carton thickness: 6~7mm
纸箱材质:K=K, 纸箱厚度:6~7mm

Applicable Product No.
适用产品料号

C2022-XXA-PTGY

Pin位	袋/PCS	箱/袋	箱/K
02	1000	100	100K
03	1000	90	90K
04	1000	80	80K
05	1000	70	70K
06	1000	65	65K
07	1000	60	60K
08	1000	50	50K
09	1000	45	45K
10	1000	45	45K
11	1000	45	45K
12	1000	40	40K
13	1000	38	38K
14	1000	36	36K
15	1000	35	35K



一般公差

.X ±0.35

.XX ±0.25

.XXX ±0.15

X° ±0.2°

视角

**SMS** 东莞市思索技术股份有限公司
Dongguan SESO Technology Co.,Ltd.

料 号: PK-C2022-XXA-PTGY

名 称:

2.00 WTB CONN. TPA

单位	比例	页次	版本	编号
mm	1:1	1/1	X1	A-000

20230828	X1	/	Update Drawing Frame	Zhou Jiasheng	Larry Yang
----------	----	---	----------------------	---------------	------------

日期	版次	变更编号	变更内容说明	变更人	核 准
----	----	------	--------	-----	-----

核 准	审 查	制 作	日 期
Larry Zhang	Larry Yang	Zhou Jiasheng	2021/10/28